

TETENAL Red Sensitive Film

TETENAL Red Sensitive Film is a high quality image setting film with a spectral density between 630 and 780 nm.

TETENAL Red Sensitive Film can be used in a lot of image setters.

TETENAL Red Sensitive Film will be developed with **TETENAL Reproline Special** and **TETENAL Repro Superfix Special**.

TETENAL Red Sensitive Film HN/RLD-A

Packaging size = 1 roll / Price & availability only on quotation.

Format	Light Source	Loading Spec.	Art.-Nr.
338 mm x 60 m	HN/RLD-A	829	105700

TETENAL Red Sensitive Film HN/RLD-A MATT

Packaging size = 1 roll / Price & availability only on quotation.

Format	Light Source	Loading Spec.	Art.-Nr.
355 mm x 60 m	HN/RLD-A Matt	829 R	105714
609 mm x 60 m	HN/RLD-A Matt	989	105741

Artikel auslaufend, nur solange der Vorrat reicht.

TETENAL Red Sensitive Film

TETENAL Red Sensitive Film is a high quality image setting film with a spectral density between 630 and 780 nm.

TETENAL Red Sensitive Film can be used in a lot of image setters.

TETENAL Red Sensitive Film will be developed with **TETENAL Reproline Special** and **TETENAL Repro Superfix Special**.

TETENAL Red Sensitive Film HN/RLD-A

Packaging size = 1 roll / Price & availability only on quotation.

Format	Light Source	Loading Spec.	Art.-Nr.
338 mm x 60 m	HN/RLD-S	829	105762
381 mm x 60 m	HN/RLD-S	390	105769
381 mm x 60 m	HN/RLD-S	390 R	105787
356 mm x 60 m	HN/RLD-S	829	105751
406 mm x 60 m	HN/RLD-S	989 R	105756
457 mm x 60 m	HN/RLD-S	829	105763
459 mm x 60 m	HN/RLD-S	989	105780
460 mm x 60 m	HN/RLD-S	829	105777
508 mm x 60 m	HN/RLD-S	390 R	105753
508 mm x 60 m	HN/RLD-S	989 R	105770
520 mm x 60 m	HN/RLD-S	989	105754
520 mm x 60 m	HN/RLD-S	829	105776
530 mm x 60 m	HN/RLD-S	829	105786
549 mm x 60 m	HN/RLD-S	989	105781
550 mm x 60 m	HN/RLD-S	989	105752
558 mm x 60 m	HN/RLD-S	829	105765
610 mm x 60 m	HN/RLD-S	989 R	105778
660 mm x 60 m	HN/RLD-S	829	105779
660 mm x 60 m	HN/RLD-S	390	105788
724 mm x 60 m	HN/RLD-S	829	105766
729 mm x 60 m	HN/RLD-S	989	105771
736 mm x 60 m	HN/RLD-S	390	105784
762 mm x 60 m	HN/RLD-S	829	105755
762 mm x 60 m	HN/RLD-S	989	105759
762 mm x 60 m	HN/RLD-S	989 R	105760
785 mm x 60 m	HN/RLD-S	390 R	105783
838 mm x 60 m	HN/RLD-S	390 R	105758
914 mm x 60 m	HN/RLD-S	829	105767

Articles to be discontinued, while stocks last

TETENAL Red Sensitive Film

TETENAL Red Sensitive Film is a high quality image setting film with a spectral density between 630 and 780 nm.

TETENAL Red Sensitive Film can be used in a lot of image setters.

TETENAL Red Sensitive Film will be developed with **TETENAL Reproline Special** and **TETENAL Repro Superfix Special**.

TETENAL Red Sensitive Film HN/RLD-A

Packaging size = 1 roll / Price & availability only on quotation.

Format	Light Source	Loading Spec.	Art.-Nr.
338 mm x 30 m	IR	829	105761
338 mm x 60 m	IR	829	105712
338 mm x 30 m	IR	867	105713

Articles to be discontinued, while stocks last